

2024 9

1.

2.

3.

		Qnet. ar	(Vdaf)	St. d	Mt	Na ₂ O+K ₂ O	DT
50mm		5000kcal kg	15%	2.5%	8%	2.5%	1350
		4700kcal kg	15%	4.5 %	—	2.5%	—

1.

3

3000

2304343109122102320

5.

3

6.

10

7.

10

8.

95% 110%

1000

1000

95%

110%

0.002 / .

0.002 / .

9.

0.02 / .

10.

2024 9

5000	Qnet. ar	4700Kcal /	100	1.	2. 5% St. d	3. 5% St. d	0.1	1	95-110%
		0.002 /			0.1				
Qnet. ar	2. Qnet. ar <4700 Kcal /	Qnet. ar		2.	3. 5% St. d	4. 0% St. d	0.1	3	90%
5000	100	0.005 /			0.1				<95%
St. d	2. 5%	100		3.	St. d >, 4. 0%	St. d	0.1	5	0.1
									80%
Vdaf	15%	:	Vdaf >15%	Vdaf					80%
			0.005 /						-0.002 /
Na ₂ O+k ₂ O	1								70%
2. 5%									-0.004 /
0. xxx /	8000 <	12000	0.02 /	1.	2. 5% Na ₂ O+k ₂ O	3. 5%	0.1		Na ₂ O+K ₂ O
	8000								70%
		>12000	12000	2.	3. 5% Na ₂ O+k ₂ O	4. 5%	0.1		60%
			0.03 /						-0.006 /
				3.	Na ₂ O+k ₂ O >4. 5%		0.1		60%
									-0.008 /
									50%
Qnet. ar	4700Kcal /								-0.010 /
St. d	4. 5 %		<4700	ê t m					50%
Vdaf	15 %								-0.015 /
									40%
									-0.020 /
									<40%



Λ α°

0

✂

0

1

qq